



# 275 (14 Ton)

## 4 Wheel Model

- 14 ton wagon gear
- Quick hitch tongue
- Standard reach length 11'
- Wheel Base adjustable 8' 8" - 11' 2"
- Safety chain (1/2" GR. 70)

### Specifications

Capacity (30 kph / 20 mph)	28,000 lb
Capacity (50 kph / 30 mph)	24,000 lb
Spindles	2-3/4" Diameter, C1045 Cold Rolled
Hubs	8 Stud
Bearings - Bore Size (Inner/Outer)	Taper Roller (2.165 / 1.625)
Front Axle	8 x 3.5 x .250 Wall
Rear Axle	8 x 3.5 x .250 Wall
Tongue Bracket Mounting	1-1/2" Bolt Bearing Mtd.
Tongue Bolt	1-1/8" Diameter
Tongue Latch	Retractable Automatic Relock
Reach Poles	3" O.D. x .188 Wall - Round Tube
Bolster Stakes	42.5" Fixed
Steering	Automotive Type
Tie Rod Ends	Greasable Automotive Style Ball Joints
Wheel Base	Adjustable
Height From Ground To Top of Bunk	30" (11 x 22.5 Tires)
Approx. Weight	1,015 lbs. (less rims and tires)

### Options

Optional Reach Lengths: 9', 11', 12', 14', 16', 18', 20', 22'

**Narrow track (Custom Build) down to 60"**

**Wide Track (Custom Build) up to 90"**

**Wide Track (Custom Build) over 90"**

**2 wheel free backing surge brakes c/w double spring balancer (includes brake tongue)**

**Disc brake flanges (for future brake add on)**

**2 Wheel HD hydraulic disc brakes (remote) must use 22.5 rim\*\***

**Single spring balancer**

**Double spring balancer**

**Rocking bolster**

**4" bolt on riser kit (other heights available)**

\*\*Hydraulic brake system also works on a brake pedal outlet kit.

## Rim & Tire Sizes

<b>14L x 16.1</b>	8 Ply	16.1 x W11C x 8	89"	15,440
<b>14L x 16.1</b>	12 Ply	16.1 x W11C x 8	89"	18,720
<b>16.5 x 16.1</b>	10 Ply	16.1 x W14C x 8	93"	20,800
<b>19L x 16.1</b>	12 Ply	16.1 x W16C x 8	95"	24,000
<b>21.5 x 16.1</b>	14 Ply	16.1 x W16C x 8	95"	28,000
<b>11 x 22.5</b>	Used Truck	22.5 x 8.25 x 8 HD	89"	28,000
<b>11 x 22.5</b>	New Recap	22.5 x 8.25 x 8 HD	89"	28,000
<b>12 or 315 x 22.5</b>	Used Truck	22.5 x 8.25 x 8 HD	89"	28,000
<b>12 or 315 x 22.5</b>	New Recap	22.5 x 8.25 x 8 HD	89"	28,000
<b>305 x 22.5</b>	Used Truck	22.5 x 8.25 x 8 HD	89"	28,000
<b>305 x 22.5</b>	New Recap	22.5 x 8.25 x 8 HD	89"	28,000
<b>385 x 22.5</b>	Used Truck	22.5 x 11.75 x 8	87"	28,000
<b>385 x 22.5</b>	New Recap	22.5 x 11.75 x 8	87"	28,000
<b>425 x 22.5</b>	Used Truck	22.5 x 11.75 x 8	87"	28,000
<b>425 x 22.5</b>	New Recap	22.5 x 11.75 x 8	87"	28,000

<b>425 x 22.5</b>	New Truck	22.5 x 11.75 x 8	87"	28,000
<b>425 x 22.5</b>	Used Truck	22.5 x 13 x 8	86"	28,000
<b>425 x 22.5</b>	New Recap	22.5 x 13 x 8	86"	28,000
<b>425 x 22.5</b>	New Truck	22.5 x 13 x 8	86"	28,000
<b>445/50 x 22.5</b>	New Recap	22.5 x 13 x 8	86"	28,000
<b>445 x 22.5</b>	New Truck	22.5 x 13 x 8	86"	28,000
<b>400 / 55 x 22.5</b>	16 Ply	22.5 x 13 x 8	86"	28,000

Capacities listed are max tire capacity. See wagon specifications for maximum wagon capacity.

<https://horstwagons.com/wagons/running/275.php> **1.866.567.4162**